force dimension

omega.6 haptic device

force feedback interface



The **omega.6** is the most advanced pen-shaped force-feedback device available. Building on the omega.3 base, its design provides **perfect decoupling** of translations and rotations. The combination of **full gravity compensation** and **driftless calibration** contributes to greater user comfort and accuracy. Conceived and manufactured in Switzerland, the omega.6 is designed for demanding applications where **performance and reliability** are critical.

applications

The **omega.6** provides 3D active force feedback and passive rotation sensing for a wide range of applications:

- > medical and space robotics
- > micro and nano manipulators
- > teleoperation consoles
- virtual simulations
- > training systems
- > research



force dimension

omega.6

workspace	translation rotation	∅ 160 x 110 mm 240 x 140 x 320 deg
forces resolution	translation translation	12.0 N < 0.01 mm
resolution	rotation	0.09 deg
stiffness	closed-loop	14.5 N/mm
electronics		
interface	standard	USB 2.0
	refresh rate	up to 4 KHz
power	universal	110V - 240V
software		
platforms software	Microsoft Linux Apple Blackberry WindRiver haptic SDK robotic SDK	Windows all distributions macOS QNX VxWorks
features		
structure calibration user input safety	delta-based parallel kinematics hand-centered rotations rotations decoupled from translations active gravity compensation automatic driftless 1 programmable button velocity monitoring	
option	electromagnetic damping right- or left-handed	

Force Dimension Allée de la Petite Prairie 2 CH - 1260 Nyon Switzerland

t +41 22 362 6570 f +41 22 362 6571

www.forcedimension.com info@forcedimension.com